





**Revision:** 2018-01-25 **Version:** 01.1

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name: Clax Magic Rust 70D2

# 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses:

For professional use only.

AISE-P113 - Prespotter/Stain remover. Manual process

Uses advised against: Uses other than those identified are not recommended

# 1.3 Details of the supplier of the safety data sheet

Diversey Europe Operations BV, Maarssenbroeksedijk 2, 3542DN Utrecht, The Netherlands

#### Contact details

Diversey Ltd

Weston Favell Centre, Northampton NN3 8PD, United Kingdom

Tel: 01604 405311, Fax: 01604 406809

Regulatory Email: customerservice.uk@diversey.com

#### 1.4 Emergency telephone number

For medical or environmental emergency only:

call 0800 052 0185

# **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

Eye Dam. 1 (H318) Met. Corr. 1 (H290)

### 2.2 Label elements



Signal word: Danger.

Contains bis[(2-hydroxyethyl)ammonium] oxalate, oxalic acid (Oxalic Acid).

#### Hazard statements:

H318 - Causes serious eye damage.

H290 - May be corrosive to metals.

#### Precautionary statements:

P280 - Wear eye or face protection.

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call a POISON CENTRE, doctor or physician.

#### 2.3 Other hazards

No other hazards known

The product does not meet the criteria for PBT or vPvB in accordance with Regulation (EC) No 1907/2006, Annex XIII

# **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

Ingredient(s)	EC number	CAS number	REACH number	Classification	Notes	Weight
						percent

bis[(2-hydroxyethyl)ammonium] oxalate	220-535-5	2799-19-1	No data available	Acute Tox. 4 (H302) Acute Tox. 4 (H312) Eye Dam. 1 (H318) Aquatic Chronic 3 (H412)	3-10
oxalic acid	205-634-3	144-62-7	No data available	Acute Tox. 4 (H302) Acute Tox. 4 (H312) Eye Dam. 1 (H318)	3-10

<sup>\*</sup> Polymer.

Workplace exposure limit(s), if available, are listed in subsection 8.1.

- [1] Exempted: ionic mixture. See Regulation (EC) No 1907/2006, Annex V, paragraph 3 and 4. This salt is potentially present, based on calculation, and included for classification and labelling purposes only. Each starting material of the ionic mixture is registered, as required.

  [2] Exempted: included in Annex IV of Regulation (EC) No 1907/2006.

  [3] Exempted: Annex V of Regulation (EC) No 1907/2006.

- [4] Exempted: polymer. See Article 2(9) of Regulation (EC) No 1907/2006.
- For the full text of the H and EUH phrases mentioned in this Section, see Section 16.

# SECTION 4: First aid measures

4.1 Description of first aid measures

Inhalation: Get medical attention or advice if you feel unwell.

Skin contact: Wash skin with plenty of lukewarm, gently flowing water. If skin irritation occurs: Get medical advice

or attention

Immediately rinse eyes cautiously with lukewarm water for several minutes. Remove contact lenses, Eye contact:

if present and easy to do. Continue rinsing. Immediately call a POISON CENTRE, doctor or

Immediately drink 1 glass of water. Get medical attention or advice if you feel unwell. Ingestion:

Consider personal protective equipment as indicated in subsection 8.2. Self-protection of first aider:

#### 4.2 Most important symptoms and effects, both acute and delayed

No known effects or symptoms in normal use. Inhalation: Skin contact: No known effects or symptoms in normal use. Eve contact: Causes severe or permanent damage. Ingestion: No known effects or symptoms in normal use.

#### 4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

# SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

#### 5.2 Special hazards arising from the substance or mixture

No special hazards known.

#### 5.3 Advice for firefighters

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

#### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Wear eye/face protection.

# 6.2 Environmental precautions

Do not allow to enter drainage system, surface or ground water. Dilute with plenty of water.

#### 6.3 Methods and material for containment and cleaning up

Absorb with liquid-binding material (sand, diatomite, universal binders, sawdust).

# 6.4 Reference to other sections

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

# SECTION 7: Handling and storage

# 7.1 Precautions for safe handling

Measures to prevent fire and explosions:

No special precautions required.

#### Measures required to protect the environment:

For environmental exposure controls see subsection 8.2.

#### Advices on general occupational hygiene:

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not mix with other products unless adviced by Diversey. Wash hands before breaks and at the end of workday. Wash face, hands and any exposed skin thoroughly after handling. Take off immediately all contaminated clothing. Use personal protective equipment as required. Avoid contact with eyes. Use only with adequate ventilation.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local and national regulations. Keep only in original container. Store in a closed container. For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

#### 7.3 Specific end use(s)

No specific advice for end use available.

# SECTION 8: Exposure controls/personal protection

# 8.1 Control parameters Workplace exposure limits

Air limit values, if available:

Ingredient(s)	UK - Long term value(s)	UK - Short term value(s)
oxalic acid	1 mg/m³	2 mg/m <sup>3</sup>

Biological limit values, if available:

Recommended monitoring procedures, if available:

Additional exposure limits under the conditions of use, if available:

#### **DNEL/DMEL** and **PNEC** values

**Human exposure** 

DNEL oral exposure - Consumer (mg/kg bw)

Ingred	ient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
bis[(2-hydroxyethyl)	ammonium] oxalate	No data available	No data available	No data available	No data available
oxalio	acid	No data available	No data available	No data available	No data available

DNEL dermal exposure - Worker

Ingredient(s)	Short term - Local	Short term - Systemic	Long term - Local	Long term - Systemic
	effects	effects (mg/kg bw)	effects	effects (mg/kg bw)
bis[(2-hydroxyethyl)ammonium] oxalate	No data available	No data available	No data available	No data available
oxalic acid	No data available	No data available	No data available	No data available

DNEL dermal exposure - Consumer

Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
bis[(2-hydroxyethyl)ammonium] oxalate	No data available	No data available	No data available	No data available
oxalic acid	No data available	No data available	No data available	No data available

DNEL inhalatory exposure - Worker (mg/m³)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
bis[(2-hydroxyethyl)ammonium] oxalate	No data available	No data available	No data available	No data available
oxalic acid	No data available	No data available	No data available	No data available

DNEL inhalatory exposure - Consumer (mg/m³)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
bis[(2-hydroxyethyl)ammonium] oxalate	No data available	No data available	No data available	No data available
oxalic acid	No data available	No data available	No data available	No data available

## **Environmental exposure**

Environmental exposure - PNEC

Ingredient(s)	Surface water, fresh	Surface water, marine	Intermittent (mg/l)	Sewage treatment
	(mg/l)	(mg/l)		plant (mg/l)
bis[(2-hydroxyethyl)ammonium] oxalate	No data available	No data available	No data available	No data available
oxalic acid	No data available	No data available	No data available	No data available

Environmental exposure - PNEC, continued

Ingredient(s)	Sediment, freshwater (mg/kg)	Sediment, marine (mg/kg)	Soil (mg/kg)	Air (mg/m³)
bis[(2-hydroxyethyl)ammonium] oxalate	No data available	No data available	No data available	No data available
oxalic acid	No data available	No data available	No data available	No data available

#### 8.2 Exposure controls

The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet. If available, please refer to the product information sheet for application and handling instructions. Normal use conditions are assumed for this section.

Recommended safety measures for handling the undiluted product:

**Appropriate engineering controls:** Provide a good standard of general ventilation.

Appropriate organisational controls: Avoid direct contact and/or splashes where possible. Train personnel.

Personal protective equipment

**Eye / face protection:** Safety glasses or goggles (EN 166).

Hand protection: Rinse and dry hands after use. For prolonged contact protection for the skin may be necessary.

**Body protection:** No special requirements under normal use conditions.

Respiratory protection: Respiratory protection is not normally required. However, inhalation of vapour, spray, gas or

aerosols should be avoided.

**Environmental exposure controls:** Should not reach sewage water or drainage ditch undiluted or unneutralised.

# **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

Information in this section refers to the product, unless it is specifically stated that substance data is listed

Method / remark

Physical State: Liquid
Colour: Clear Pale Yellow
Odour: Product specific
Odour threshold: Not applicable

**pH**: < 2 (neat)

Melting point/freezing point (°C): Not determined

Not relevant to classification of this product

Initial boiling point and boiling range (°C): Not determined

Substance data, boiling point

Ingredient(s)	Value	Method	Atmospheric pressure
	(°C)		(hPa)
bis[(2-hydroxyethyl)ammonium] oxalate	No data available		
oxalic acid	No data available		

Method / remark

Flash point (°C): Not applicable.
Sustained combustion: Not applicable.
(UN Manual of Tests and Criteria, section 32, L.2)
Evaporation rate: Not determined

Flammability (solid, gas): Not determined

Upper/lower flammability limit (%): Not determined

Substance data, flammability or explosive limits, if available:

Method / remark

Vapour pressure: Not determined

Substance data, vapour pressure

Ingredient(s)	Value (Pa)	Method	Temperature (°C)
bis[(2-hydroxyethyl)ammonium] oxalate	No data available		
oxalic acid	No data available		

Method / remark

Vapour density: Not determined Relative density: ≈ 1.04 (20 °C)

Solubility in / Miscibility with Water: Fully miscible

Substance data, solubility in water

Ingredient(s)	Value (g/l)	Method	Temperature (°C)
bis[(2-hydroxyethyl)ammonium] oxalate	No data available		
oxalic acid	No data available		

Substance data, partition coefficient n-octanol/water (log Kow): see subsection 12.3

Method / remark

**Autoignition temperature:** Not determined **Decomposition temperature:** Not applicable.

Viscosity: Not determined

**Explosive properties:** Not explosive. **Oxidising properties:** Not oxidising.

9.2 Other information

Surface tension (N/m): Not determined

Not relevant to classification of this product

Corrosion to metals: Corrosive

Not relevant to classification of this product

UN Manual of Tests and Criteria, section 37

Substance data, dissociation constant, if available:

# **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

#### 10.2 Chemical stability

Stable under normal storage and use conditions.

#### 10.3 Possibility of hazardous reactions

No hazardous reactions known under normal storage and use conditions.

#### 10.4 Conditions to avoid

None known under normal storage and use conditions.

#### 10.5 Incompatible materials

Reacts with alkali and metals. Keep away from products containing chlorine-based bleaching agents or sulphites.

#### 10.6 Hazardous decomposition products

None known under normal storage and use conditions.

# **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

Mixture data:.

#### Relevant calculated ATE(s):

ATE - Oral (mg/kg): 1700 ATE - Dermal (mg/kg): >2000

Substance data, where relevant and available, are listed below:.

#### **Acute toxicity**

Acute oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)
bis[(2-hydroxyethyl)ammonium] oxalate		No data			
		available			
oxalic acid	LD 50	375	Rat	Method not given	

Acute dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)
bis[(2-hydroxyethyl)ammonium] oxalate		No data			
		available			
oxalic acid	LD 50	20000	Rabbit	Method not given	

Acute inhalative toxicity

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
bis[(2-hydroxyethyl)ammonium] oxalate		No data available			
oxalic acid		No data available			

# Irritation and corrosivity

Skin irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
bis[(2-hydroxyethyl)ammonium] oxalate	No data available			
oxalic acid	No data available			

Eye irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
bis[(2-hydroxyethyl)ammonium] oxalate	No data available			
oxalic acid	No data available			

Respiratory tract irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
bis[(2-hydroxyethyl)ammonium] oxalate	No data available			
oxalic acid	No data available			

# Sensitisation

Sensitisation by skin contact

Ingredient(s)	Result	Species	Method	Exposure time (h)
bis[(2-hydroxyethyl)ammonium] oxalate	No data available			
oxalic acid	No data available			

Sensitisation by inhalation

Ingredient(s)	Result	Species	Method	Exposure time
bis[(2-hydroxyethyl)ammonium] oxalate	No data available			
oxalic acid	No data available			

# CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction) Mutagenicity

Ingredient(s)	Result (in-vitro)	Method (in-vitro)	Result (in-vivo)	Method (in-vivo)
bis[(2-hydroxyethyl)ammonium] oxalate	No data available		No data available	
	No evidence for mutagenicity, negative test results	OECD 471 (EU B.12/13)	No data available	

Carcinogenicity

Carcinogenicity	
Ingredient(s)	Effect
bis[(2-hydroxyethyl)ammonium] oxalate	No data available
oxalic acid	No data available

Toxicity for reproduction

Ingredient(s)	Endpoint	Specific effect	Value	Species	Method	Exposure	Remarks and other effects
			(mg/kg bw/d)			time	reported
bis[(2-hydroxyethyl)am			No data				
monium] oxalate			available				
oxalic acid			No data				
			available				

# Repeated dose toxicity

Sub-acute of sub-chronic oral toxicity						
Ingredient(s)	Endpoint	Value	Species	Method	Exposure	Specific effects and organs
		(mg/kg bw/d)			time (days)	affected
bis[(2-hydroxyethyl)ammonium] oxalate		No data				
		available				
oxalic acid		No data				
	1	available			1	

Sub-chronic dermal toxicity

Ingredient(s)	Endpoint	Value	Species	Method	Exposure	Specific effects and organs
		(mg/kg bw/d)			time (days)	affected
bis[(2-hydroxyethyl)ammonium] oxalate		No data				
		available				
oxalic acid	LOAEL	150	Rat	Method not		
				given		

Sub-chronic inhalation toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
bis[(2-hydroxyethyl)ammonium] oxalate		No data available				
oxalic acid		No data available				

Chronic toxicity

Ingredient(s)	Exposure route	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time	Specific effects and organs affected	Remark
bis[(2-hydroxyethyl)am			No data					
monium] oxalate			available					
oxalic acid			No data					
			available					

STOT-single exposure

Ingredient(s)	Affected organ(s)

bis[(2-hydroxyethyl)ammonium] oxalate	No data available
oxalic acid	No data available

STOT-repeated exposure

Ingredient(s)	Affected organ(s)
bis[(2-hydroxyethyl)ammonium] oxalate	No data available
oxalic acid	No data available

#### **Aspiration hazard**

Substances with an aspiration hazard (H304), if any, are listed in section 3. If relevant, see section 9 for dynamic viscosity and relative density of the product.

# Potential adverse health effects and symptoms

Effects and symptoms related to the product, if any, are listed in subsection 4.2.

# **SECTION 12: Ecological information**

# 12.1 Toxicity

No data is available on the mixture.

Substance data, where relevant and available, are listed below:

#### Aquatic short-term toxicity

Aquatic short-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
bis[(2-hydroxyethyl)ammonium] oxalate		No data available			
oxalic acid	LC 50	160	Carassius auratus	Method not given	48

Aquatic short-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
bis[(2-hydroxyethyl)ammonium] oxalate		No data			
		available			
oxalic acid	EC 50	162.2	Daphnia	Method not given	48
			magna Straus	_	

Aquatic short-term toxicity - algae

	Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
b	is[(2-hydroxyethyl)ammonium] oxalate		No data			
			available			
	oxalic acid	IC 50	80		Method not given	192

Aquatic short-term toxicity - marine species

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (days)
bis[(2-hydroxyethyl)ammonium] oxalate		No data available			
oxalic acid		No data available			-

Impact on sewage plants - toxicity to bacteria

Ingredient(s)	Endpoint	Value (mg/l)	Inoculum	Method	Exposure time
bis[(2-hydroxyethyl)ammonium] oxalate		No data available			
oxalic acid	EC 50	1550		Method not given	16 hour(s)

# Aquatic long-term toxicity

Aquatic long-term toxicity - fish

Ingre	dient(s)	Endpoint	Value	Species	Method	Exposure	Effects observed
9.0	2.0(0)		(mg/l)	GP00.00		time	
bis[(2-hydroxyethy	l)ammonium] oxalate		No data				
	-		available				
oxal	ic acid		No data				
			available				

Aquatic long-term toxicity - crustacea

Ingredient(s)	Endpoint	Value	Species	Method	Exposure	Effects observed
		(mg/l)			time	
bis[(2-hydroxyethyl)ammonium] oxalate		No data				
		available				
oxalic acid		No data				

	С	lax Magic Rus	st 70D2			
		available				
uatic toxicity to other aquatic benthic organisms, in	cluding sediment	-dwelling organi	sms, if available	e:		
Ingredient(s)	Endpoint	Value (mg/kg dw sediment)	Species	Method	Exposure time (days)	Effects observed
bis[(2-hydroxyethyl)ammonium] oxalate		No data available				
oxalic acid		No data available			-	
rrestrial toxicity						
restrial toxicity - soil invertebrates, including earth						
Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
oxalic acid		No data available			-	
restrial toxicity - plants, if available:						
Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
oxalic acid	EC 50	1			-	
restrial toxicity - birds, if available:						
Ingredient(s)	Endpoint	Value	Species	Method	Exposure time (days)	Effects observed
oxalic acid		No data available			-	
restrial toxicity - beneficial insects, if available:						
Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
oxalic acid		No data available			-	
restrial toxicity - soil bacteria, if available:		avanabio				
Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
oxalic acid		No data available			-	
2 Persistence and degradability iotic degradation otic degradation - photodegradation in air, if availability degradation - hydrolysis, if available: otic degradation - other processes, if available: odegradation	ible:					
ady biodegradability - aerobic conditions  Ingredient(s)	Inoculum	Analyt	ical	DT 50	Method	Evaluation
· · · ·		metho				
bis[(2-hydroxyethyl)ammonium] oxalate	-		00.04	in 20 do://s\	Mothod not six	No data available
oxalic acid			89 %	in 20 day(s)	Method not given	Readily biodegradable

Ready biodegradability - aerobic conditions								
Ingredient(s)	Inoculum	Analytical	DT 50	Method	Evaluation			
J (,		method						
bis[(2-hydroxyethyl)ammonium] oxalate					No data available			
oxalic acid			89 % in 20 day(s)	Method not given	Readily biodegradable			

Ready biodegradability - anaerobic and marine conditions, if available:

Degradation in relevant environmental compartments, if available:

12.3 Bioaccumulative potential
Partition coefficient n-octanol/water (log Kow)

Ingredient(s)	Value	Method	Evaluation	Remark
bis[(2-hydroxyethyl)ammonium] oxalate	No data available			
oxalic acid	No data available			

Bioconcentration factor (BCF)

Bioconcentration factor (BCF)									
Ingredient(s)	Value	Species	Method	Evaluation	Remark				
bis[(2-hydroxyethyl)am	No data available								
monium] oxalate									
oxalic acid	No data available								

**12.4 Mobility in soil** Adsorption/Desorption to soil or sediment

Ingredient(s)	Adsorption coefficient Log Koc	Desorption coefficient Log Koc(des)	Method	Soil/sediment type	Evaluation
bis[(2-hydroxyethyl)ammonium] oxalate	No data available				
oxalic acid	No data available		_		

#### 12.5 Results of PBT and vPvB assessment

Substances that fulfill the criteria for PBT/vPvB, if any, are listed in section 3.

#### 12.6 Other adverse effects

No other adverse effects known.

# **SECTION 13: Disposal considerations**

13.1 Waste treatment methods

Waste from residues / unused

products:

The concentrated contents or contaminated packaging should be disposed of by a certified handler or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging

material is suitable for energy recovery or recycling in line with local legislation. **European Waste Catalogue:** 20 01 29\* - detergents containing dangerous substances.

**Empty packaging** 

Recommendation:

Dispose of observing national or local regulations.

Suitable cleaning agents: Water, if necessary with cleaning agent.

# SECTION 14: Transport information



Land transport (ADR/RID), Sea transport (IMDG), Air transport (ICAO-TI / IATA-DGR)

14.1 UN number: 3265

14.2 UN proper shipping name:

Corrosive liquid, acidic, organic, n.o.s. (oxalic acid)

14.3 Transport hazard class(es):

Class: 8 Label(s): 8 14.4 Packing group: III 14.5 Environmental hazards: Environmentally hazardous: No

Marine pollutant: No

14.6 Special precautions for user: None known.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code: The product is not transported in bulk tankers.

Other relevant information:

**ADR** 

Classification code: C3 Tunnel restriction code: E Hazard identification number: 80

IMO/IMDG

EmS: F-A, S-B

The product has been classified, labelled and packaged in accordance with the requirements of ADR and the provisions of the IMDG Code Transport regulations include special provisions for certain classes of dangerous goods packed in limited quantities.

# SECTION 15: Regulatory information

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **EU regulations:**

Regulation (EC) No 1272/2008 - CLP
 Regulation (EC) No. 1907/2006 - REACH

Authorisations or restrictions (Regulation (EC) No 1907/2006, Title VII respectively Title VIII): Not applicable.

# Ingredients according to EC Detergents Regulation 648/2004

# 15.2 Chemical safety assessment

A chemical safety assessment has not been carried out on the mixture

# **SECTION 16: Other information**

The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract

SDS code: MS1002387 Version: 01.1 Revision: 2018-01-25

#### Reason for revision:

This data sheet contains changes from the previous version in section(s):, 2, 3, 16

#### Classification procedure

The classification of the mixture is in general based on calculation methods using substance data, as required by Regulation (EC) No 1272/2008. If for certain classifications data on the mixture is available or for example bridging principles or weight of evidence can be used for classification, this will be indicated in the relevant sections of the Safety Data Sheet. See section 9 for physical chemical properties, section 11 for toxicological information and section 12 for ecological information.

#### Full text of the H and EUH phrases mentioned in section 3:

- H302 Harmful if swallowed.H312 Harmful in contact with skin.
- H318 Causes serious eye damage.
- H412 Harmful to aquatic life with long lasting effects.

#### Abbreviations and acronyms:

- AISE The international Association for Soaps, Detergents and Maintenance Products
   DNEL Derived No Effect Limit
- EUH CLP Specific hazard statement
- PBT Persistent, Bioaccumulative and Toxic
- PNEC Predicted No Effect Concentration
- REACH number REACH registration number, without supplier specific part
- vPvB very Persistent and very Bioaccumulative
- ATE Acute Toxicity Estimate

**End of Safety Data Sheet**