

## Safety Data Sheet

Zararlı Maddeler ve Karışımlara İlişkin Güvenlik Bilgi Formları Hakkında Yönetmelik (R.G. 13.12.2014-29204)'e Göre

## **TASKI HARMONY**

**Revision:** 2018-01-25 **Version:** 05.0 **First release:** 2015-12-29

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name: TASKI HARMONY

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses:

For professional use only.

AISE-P301 - General purpose cleaner. Manual process

Uses advised against: Uses other than those identified are not recommended

## 1.3 Details of the supplier of the safety data sheet

Diversey Europe Operations BV, Maarssenbroeksedijk 2, 3542DN Utrecht, The Netherlands

#### **Contact details**

Diversey Kimya Sanayi ve Ticaret A.Ş İçerenköy Mah. Bahçelerarası Sk. No: 43, 34752, Ataşehir, İstanbul, Türkiye Tel: 0216 578 64 00, Faks: 0216 578 64 01

#### 1.4 Emergency telephone number

Tel: 0216 578 64 00

Ulusal Zehir Danışma Merkezi (UZEM): 114

Acil Sağlık Hizmetleri: 112

## **SECTION 2: Hazards identification**

## 2.1 Classification of the substance or mixture

Eye Irrit. 2 (H319)

## 2.2 Label elements



Signal word: Warning.

## Hazard statements:

H319 - Causes serious eye irritation.

#### 2.3 Other hazards

No other hazards known

The product does not meet the criteria for PBT or vPvB in accordance with Regulation (EC) No 1907/2006, Annex XIII

## **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

Ingredient(s)	EC number	CAS number	Classification	Notes	Weight percent
propan-2-ol	200-661-7	67-63-0	Flam. Liq. 2 (H225) STOT SE 3 (H336)		3-10
			Eye Irrit. 2 (H319)		
sulphonic acids, C14-17-sec-alkane, sodium salts	307-055-2	97489-15-1	Acute Tox. 4 (H302) Skin Irrit. 2 (H315)		1-3

SDS code: MSDS0601 Page 1/10

First release: 2015-12-29 TASKI HARMONY Version: 05.0

	Eye Dam. 1 (H318)	
	Aquatic Chronic 3 (H412)	

\* Polymer.

Workplace exposure limit(s), if available, are listed in subsection 8.1.

For the full text of the H and EUH phrases mentioned in this Section, see Section 16.

## SECTION 4: First aid measures

4.1 Description of first aid measures

Inhalation: Get medical attention or advice if you feel unwell.

Skin contact: Wash skin with plenty of lukewarm, gently flowing water. If skin irritation occurs: Get medical advice

or attention.

Eye contact: Immediately rinse eyes cautiously with lukewarm water for several minutes. Remove contact lenses,

if present and easy to do. Continue rinsing. If irritation occurs and persists, get medical attention. Immediately drink 1 glass of water. Get medical attention or advice if you feel unwell.

Immediately drink 1 glass of water. Get medical attention or advice if you Self-protection of first aider: Consider personal protective equipment as indicated in subsection 8.2.

4.2 Most important symptoms and effects, both acute and delayed

Inhalation:

No known effects or symptoms in normal use.

Skin contact:

No known effects or symptoms in normal use.

**Eye contact:** Causes severe irritation.

**Ingestion:** No known effects or symptoms in normal use.

#### 4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

## **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

## 5.2 Special hazards arising from the substance or mixture

No special hazards known.

#### 5.3 Advice for firefighters

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

## **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

No special measures required.

#### 6.2 Environmental precautions

Do not allow to enter drainage system, surface or ground water. Dilute with plenty of water.

## 6.3 Methods and material for containment and cleaning up

Absorb with liquid-binding material (sand, diatomite, universal binders, sawdust).

#### 6.4 Reference to other sections

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

## SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

### Measures to prevent fire and explosions:

No special precautions required.

### Measures required to protect the environment:

For environmental exposure controls see subsection 8.2.

## Advices on general occupational hygiene:

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not mix with other products unless adviced by Diversey. Wash hands before breaks and at the end of workday. Wash face, hands and any exposed skin thoroughly after handling. Take off immediately all contaminated clothing. Use personal protective equipment as required. Use only with adequate ventilation.

## 7.2 Conditions for safe storage, including any incompatibilities

SDS code: MSDS0601 Page 2/10

First release: 2015-12-29 TASKI HARMONY Version: 05.0

Store in accordance with local and national regulations. Keep only in original container. Store in a closed container.

For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

#### 7.3 Specific end use(s)

No specific advice for end use available.

## SECTION 8: Exposure controls/personal protection

# 8.1 Control parameters Workplace exposure limits

Air limit values, if available:

Biological limit values, if available:

#### 8.2 Exposure controls

The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet. If available, please refer to the product information sheet for application and handling instructions. Normal use conditions are assumed for this section.

Recommended safety measures for handling the undiluted product:

Covering activities such as filling and transfer of product to application equipment, flasks or buckets

Appropriate engineering controls: No special requirements under normal use conditions.

Appropriate organisational controls: Avoid direct contact and/or splashes where possible. Train personnel.

Personal protective equipment

Eye / face protection: Safety glasses are not normally required. However, their use is recommended in those cases

where splashes may occur when handling the product (EN 166).

Hand protection: Rinse and dry hands after use. For prolonged contact protection for the skin may be necessary.

**Body protection:**No special requirements under normal use conditions. **Respiratory protection:**No special requirements under normal use conditions.

**Environmental exposure controls:** No special requirements under normal use conditions.

Recommended safety measures for handling the <u>diluted</u> product:

Recommended maximum concentration (%): 1

Appropriate engineering controls: No special requirements under normal use conditions. Appropriate organisational controls: No special requirements under normal use conditions.

Personal protective equipment

Eye / face protection: Safety glasses are not normally required. However, their use is recommended in those cases

where splashes may occur when handling the product.

**Hand protection:** Rinse and dry hands after use. For prolonged contact protection for the skin may be necessary.

**Body protection:**No special requirements under normal use conditions.
No special requirements under normal use conditions.

**Environmental exposure controls:** No special requirements under normal use conditions.

## SECTION 9: Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

Information in this section refers to the product, unless it is specifically stated that substance data is listed

Method / remark

Physical State: Liquid
Colour: Clear, Red
Odour: Slightly perfumed
Odour threshold: Not applicable

**pH**: ≈ 6 (neat)

Melting point/freezing point (°C): Not determined Not relevant to classification of this product

Initial boiling point and boiling range (°C): Not determined

Substance data, boiling point

Ingredient(s)	Value (°C)	Method	Atmospheric pressure (hPa)
propan-2-ol	82	Method not given	1013

SDS code: MSDS0601 Page 3/10

First release: 2015-12-29 TASKI HARMONY Version: 05.0

sulphonic acids, C14-17-sec-alkane, sodium salts	> 100	Method not given	

#### Method / remark

Flash point (°C): Not applicable.
Sustained combustion: Not applicable.
(UN Manual of Tests and Criteria, section 32, L.2)
Evaporation rate: Not determined
Flammability (solid, gas): Not determined

Upper/lower flammability limit (%): Not determined

Substance data, flammability or explosive limits, if available:

Substance data, naminability of explosive limits, if available:		
Ingredient(s)	Lower limit (% vol)	Upper limit (% vol)
propan-2-ol	2	13

## Method / remark

Vapour pressure: Not determined

Substance data, vapour pressure

Ingredient(s)	Value (Pa)	Method	Temperature (°C)
propan-2-ol	4200	Method not given	20
sulphonic acids, C14-17-sec-alkane, sodium salts	3000	Method not given	25

#### Method / remark

Vapour density: Not determined Relative density: ≈ 1.00 (20 °C)

Solubility in / Miscibility with Water: Fully miscible

Substance data, solubility in water

Ingredient(s)	Value (g/l)	Method	Temperature (°C)
propan-2-ol	Soluble	Method not given	
sulphonic acids, C14-17-sec-alkane, sodium salts	500	Method not given	25

Substance data, partition coefficient n-octanol/water (log Kow): see subsection 12.3

Method / remark

**Autoignition temperature:** Not determined **Decomposition temperature:** Not applicable.

Viscosity: Not determined

**Explosive properties:** Not explosive. **Oxidising properties:** Not oxidising.

9.2 Other information

Surface tension (N/m): Not determined

Corrosion to metals: Not corrosive

Not relevant to classification of this product

Substance data, dissociation constant, if available:

## SECTION 10: Stability and reactivity

## 10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

## 10.2 Chemical stability

Stable under normal storage and use conditions.

#### 10.3 Possibility of hazardous reactions

No hazardous reactions known under normal storage and use conditions.

## 10.4 Conditions to avoid

None known under normal storage and use conditions.

## 10.5 Incompatible materials

None known under normal use conditions.

#### 10.6 Hazardous decomposition products

None known under normal storage and use conditions.

SDS code: MSDS0601 Page 4/10

First release: 2015-12-29 TASKI HARMONY Version: 05.0

# SECTION 11: Toxicological information

## 11.1 Information on toxicological effects

Mixture data:.

Relevant calculated ATE(s):

ATE - Oral (mg/kg): >5000

Substance data, where relevant and available, are listed below:.

## **Acute toxicity**

Acute oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)
propan-2-ol	LD 50	3570	Rat	Method not given	
sulphonic acids, C14-17-sec-alkane, sodium salts	LD 50	> 2000	Rat	OECD 401 (EU B.1) Read across	

Acute dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)
propan-2-ol	LD 50	> 2000	Rabbit	Method not given	
sulphonic acids, C14-17-sec-alkane, sodium salts	LD 50	> 2000	Mouse	Weight of evidence	

Acute inhalative toxicity

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
propan-2-ol	LC 50	> 25 (vapour)	Rat	OECD 403 (EU B.2)	6
sulphonic acids, C14-17-sec-alkane, sodium salts		No data available			

## Irritation and corrosivity

Skin irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
propan-2-ol	Not irritant	Rabbit	OECD 404 (EU B.4)	
sulphonic acids, C14-17-sec-alkane, sodium salts	Irritant	Rabbit	OECD 404 (EU B.4) Read across	

Eye irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
propan-2-ol	Irritant	Rabbit	OECD 405 (EU B.5)	
sulphonic acids, C14-17-sec-alkane, sodium salts	Severe damage		OECD 405 (EU B.5)	·

Respiratory tract irritation and corrosivity

recognition in the time to receive				
Ingredient(s)	Result	Species	Method	Exposure time
propan-2-ol	No data available			
sulphonic acids, C14-17-sec-alkane, sodium salts	No data available			

#### Sensitisation

Sensitisation by skin contact

conditional by chin contact				
Ingredient(s)	Result	Species	Method	Exposure time (h)
propan-2-ol	Not sensitising	Guinea pig	OECD 406 (EU B.6) /	
			Buehler test	
sulphonic acids, C14-17-sec-alkane, sodium salts	Not sensitising	Guinea pig	OECD 406 (EU B.6) /	
	_		GPMT Read across	

Sensitisation by inhalation

Ingredient(s)	Result	Species	Method	Exposure time
propan-2-ol	No data available			
sulphonic acids, C14-17-sec-alkane, sodium salts	No data available			

## CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

/Jutagenicit

ı	wutagemeny In and in the	Decult (in vitre)	Method	Decult (in vive)	Method
	Ingredient(s)	Result (in-vitro)		Result (in-vivo)	
			(in-vitro)		(in-vivo)
	propan-2-ol	No evidence for mutagenicity, negative	OECD 471 (EU	No evidence of genotoxicity, negative	OECD 474 (EU

SDS code: MSDS0601 Page 5/10

Version: 05.0

Revision: 2018-01-25 First release: 2015-12-29

**TASKI HARMONY** 

	test results No evidence of genotoxicity,	B.12/13)	test results	B.12)
	negative test results			
sulphonic acids, C14-17-sec-alkane, sodium	No evidence for mutagenicity, negative	Method not	No evidence for mutagenicity, negative	Method not
salts	test results	given	test results	given

$\sim$	rcina	 ٠.	-:4-	ı

Ingredient(s)	Effect			
propan-2-ol	No data available			
sulphonic acids, C14-17-sec-alkane, sodium salts	No evidence for carcinogenicity, negative test results			

Toxicity for reproduction

Ingredient(s)	Endpoint	Specific effect	Value (mg/kg bw/d)	Species	Method	Exposure time	Remarks and other effects reported
propan-2-ol			No data available				
sulphonic acids, C14-17-sec-alkane, sodium salts			No data available				No evidence for reproductive toxicity

Repeated dose toxicity
Sub-acute or sub-chronic oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
propan-2-ol		No data available				
sulphonic acids, C14-17-sec-alkane, sodium salts	NOAEL	200	Rat	Method not given		

Sub-chronic dermal toxicity

Sub-cirronic dermai toxicity	,				,	
Ingredient(s)	Endpoint	Value	Species	Method	Exposure	Specific effects and organs
		(mg/kg bw/d)			time (days)	affected
propan-2-ol		No data				
		available				
sulphonic acids, C14-17-sec-alkane, sodium salts		No data				·
		available				

Sub-chronic inhalation toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
propan-2-ol		No data				
		available				
sulphonic acids, C14-17-sec-alkane, sodium salts		No data				
		available				

Chronic toxicity

Ingredient(s)	Exposure	Endpoint	Value	Species	Method	Exposure	Specific effects and	Remark
	route		(mg/kg bw/d)			time	organs affected	
propan-2-ol			No data					
			available					
sulphonic acids,	Oral	NOAEL	> 4000	Rat	Method not			
C14-17-sec-alkane,					given			
sodium salts					_			

STOT-single exposure

Ingredient(s)	Affected organ(s)
propan-2-ol	No data available
sulphonic acids, C14-17-sec-alkane, sodium salts	No data available

STOT-repeated exposure

Ingredient(s)	Affected organ(s)
propan-2-ol	No data available
sulphonic acids, C14-17-sec-alkane, sodium salts	No data available

## **Aspiration hazard**

Substances with an aspiration hazard (H304), if any, are listed in section 3. If relevant, see section 9 for dynamic viscosity and relative density of the product.

## Potential adverse health effects and symptoms

Effects and symptoms related to the product, if any, are listed in subsection 4.2.

## **SECTION 12: Ecological information**

## 12.1 Toxicity

SDS code: MSDS0601 Page 6/10

**TASKI HARMONY** Version: 05.0 First release: 2015-12-29

No data is available on the mixture.

Substance data, where relevant and available, are listed below:

# Aquatic short-term toxicity Aquatic short-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
propan-2-ol	LC 50	> 100	Pimephales promelas	Method not given	48
sulphonic acids, C14-17-sec-alkane, sodium salts	LC 50	1 - 10	Brachydanio rerio	OECD 203 (EU C.1)	96

Aquatic short-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
propan-2-ol	EC 50	> 100	Daphnia magna Straus	Method not given	48
sulphonic acids, C14-17-sec-alkane, sodium salts	EC 50	9.81	Daphnia magna Straus	OECD 202 (EU C.2)	48

Aquatic short-term toxicity - algae

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
propan-2-ol	EC 50	> 100	Scenedesmus quadricauda	Method not given	72
sulphonic acids, C14-17-sec-alkane, sodium salts	EC 50	> 61	Pseudokirchner iella subcapitata	OECD 201 (EU C.3)	72

Aquatic short-term toxicity - marine species

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (days)
propan-2-ol		No data			-
		available			
sulphonic acids, C14-17-sec-alkane, sodium salts		No data			-
		available			

Impact on sewage plants - toxicity to bacteria

Ingredient(s)	Endpoint	Value (mg/l)	Inoculum	Method	Exposure time
propan-2-ol	EC 50	> 1000	Activated sludge	Method not given	
sulphonic acids, C14-17-sec-alkane, sodium salts	NOEC	600	Pseudomonas putida	DIN 38412 / Part 8	16 hour(s)

# Aquatic long-term toxicity Aquatic long-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
propan-2-ol		No data				
		available				
sulphonic acids, C14-17-sec-alkane, sodium salts		No data				
		available				

Aquatic long-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
propan-2-ol		No data				
		available				
sulphonic acids, C14-17-sec-alkane, sodium salts		No data				
·		available				

Aquatic toxicity to other aquatic benthic organisms, including sediment-dwelling organisms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw sediment)	Species	Method	Exposure time (days)	Effects observed
propan-2-ol		No data			-	
		available				
sulphonic acids, C14-17-sec-alkane, sodium salts		No data			-	
		available				

**Terrestrial toxicity**Terrestrial toxicity - soil invertebrates, including earthworms, if available:

Ingredient(s)	Endpoint	Value	Species	Method	Exposure	Effects observed				

SDS code: MSDS0601 Page 7/10

Version: 05.0

Revision: 2018-01-25 First release: 2015-12-29

**TASKI HARMONY** 

		(mg/kg dw soil)			time (days)	
propan-2-ol		No data			-	
		available				
sulphonic acids, C14-17-sec-alkane, sodium salts	NOEC	470	Eisenia fetida	OECD 222	56	

Terrestrial toxicity - plants, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
propan-2-ol		No data			-	
		available				
sulphonic acids, C14-17-sec-alkane, sodium salts		No data			-	
		available				

Terrestrial toxicity - birds, if available:

Ingredient(s)	Endpoint	Value	Species	Method	Exposure time (days)	Effects observed
propan-2-ol		No data			-	
		available				
sulphonic acids, C14-17-sec-alkane, sodium salts		No data			-	
		available				

Terrestrial toxicity - beneficial insects, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
propan-2-ol		No data available			-	
sulphonic acids, C14-17-sec-alkane, so	odium salts	No data available			-	

Terrestrial toxicity - soil bacteria, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
propan-2-ol		No data			-	
		available				
sulphonic acids, C14-17-sec-alkane, sodium salts		No data			-	
		available				

## 12.2 Persistence and degradability

Abiotic degradation

Abiotic degradation - photodegradation in air, if available:

Abiotic degradation - hydrolysis, if available:

Abiotic degradation - other processes, if available:

Biodegradation

- histogradability - aerobic conditions

Ingredient(s)	Inoculum	Analytical method	DT 50	Method	Evaluation
propan-2-ol			95 % in 21 day(s)	OECD 301E	Readily biodegradable
sulphonic acids, C14-17-sec-alkane, sodium salts		Oxygen depletion	78 % in 28 day(s)	OECD 301E	Readily biodegradable

Ready biodegradability - anaerobic and marine conditions, if available:

Degradation in relevant environmental compartments, if available:

**12.3 Bioaccumulative potential**Partition coefficient n-octanol/water (log Kow)

Ingredient(s)	Value	Method	Evaluation	Remark
propan-2-ol	0.05	OECD 107	No bioaccumulation expected	
sulphonic acids, C14-17-sec-alkane, sodium salts	No data available		No bioaccumulation expected	

Bioconcentration factor (BCF)

Ingredient(s)	Value	Species	Method	Evaluation	Remark
propan-2-ol	No data available				
sulphonic acids, C14-17-sec-alkane, sodium salts	No data available				

Page 8/10 SDS code: MSDS0601

Revision: 2018-01-25 First release: 2015-12-29 **TASKI HARMONY** Version: 05.0

12.4 Mobility in soil

Adsorption/Desorption to soil or sediment

Ingredient(s)	Adsorption coefficient Log Koc	Desorption coefficient Log Koc(des)	Method	Soil/sediment type	Evaluation
propan-2-ol	No data available				Potential for mobility in soil, soluble in water
sulphonic acids, C14-17-sec-alkane, sodium salts	No data available				

#### 12.5 Results of PBT and vPvB assessment

Substances that fulfill the criteria for PBT/vPvB, if any, are listed in section 3.

#### 12.6 Other adverse effects

No other adverse effects known.

## SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste from residues / unused products:

The concentrated contents or contaminated packaging should be disposed of by a certified handler or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging

material is suitable for energy recovery or recycling in line with local legislation.

**European Waste Catalogue:** 20 01 29\* - detergents containing dangerous substances.

**Empty packaging** 

Recommendation: Dispose of observing national or local regulations.

Suitable cleaning agents: Water, if necessary with cleaning agent.

## SECTION 14: Transport information

Land transport (ADR/RID), Sea transport (IMDG), Air transport (ICAO-TI / IATA-DGR)

14.1 UN number: Non-dangerous goods

14.2 UN proper shipping name: Non-dangerous goods 14.3 Transport hazard class(es): Non-dangerous goods

14.4 Packing group: Non-dangerous goods

14.5 Environmental hazards: Non-dangerous goods 14.6 Special precautions for user: Non-dangerous goods

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code: Non-dangerous goods

## **SECTION 15: Regulatory information**

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

## **National regulations**

• 11 Aralık 2013 tarihli, 28848 Sayılı, Maddelerin Ve Karışımların Sınıflandırılması, Etiketlenmesi Ve Ambalajlanması Hakkında Yönetmelik.

#### Ingredients according to EC Detergents Regulation 648/2004

anionic surfactants, non-ionic surfactants perfumes, Butylphenyl Methylpropional, Benzyl Salicylate, Linalool < 5 %

## SECTION 16: Other information

The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract

SDS code: MSDS0601 Version: 05.0 Revision: 2018-01-25

Güvenlik Bilgi Formu Zararlı Maddeler ve Karışımlara İlişkin Güvenlik Bilgi Formları Hakkında Yönetmelik (R.G. 13.12.2014-29204)'e Göre düzenlenmiştir.

## Edited by:

Kader Merve Yaman / Sertifikalı GBF Hazırlayıcısı Sertifika No ve tarihi: GBF01.12.03/20.01.2018 Diversey Kimya Sanayi ve Ticaret A.Ş İçerenköy Mah. Bahçelerarası Sk. No: 43, 34752, Ataşehir, İstanbul, Türkiye Tel: 0216 578 64 00, Faks: 0216 578 64 01

#### Full text of the H and EUH phrases mentioned in section 3:

H225 - Highly flammable liquid and vapour.
H302 - Harmful if swallowed.

SDS code: MSDS0601 Page 9/10

Safety Data Sheet Zararlı Maddeler ve Karışımlara İlişkin Güvenlik Bilgi Formları Hakkında Yönetmelik (R.G. 13.12.2014-29204)'e Göre

**Revision:** 2018-01-25

First release: 2015-12-29 **TASKI HARMONY** Version: 05.0

- H315 Causes skin irritation.
- H318 Causes serious eye damage.
  H319 Causes serious eye irritation.

- H336 May cause drowsiness or dizziness.
  H412 Harmful to aquatic life with long lasting effects.

- Abbreviations and acronyms:

   AISE The international Association for Soaps, Detergents and Maintenance Products

   DNEL Derived No Effect Limit

   EUH CLP Specific hazard statement

- PBT Persistent, Bioaccumulative and Toxic
   PNEC Predicted No Effect Concentration
- REACH number REACH registration number, without supplier specific part
   vPvB very Persistent and very Bioaccumulative
   ATE Acute Toxicity Estimate

**End of Safety Data Sheet** 

SDS code: MSDS0601 Page 10 / 10