

Safety Data Sheet

Zararlı Maddeler ve Karışımlara İlişkin Güvenlik Bilgi Formları Hakkında Yönetmelik (R.G. 13.12.2014-29204)'e Göre

Diverspray VC13

Revision: 2018-01-25 **Version:** 06.1 **First release:** 2015-12-08

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: Diverspray VC13

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses:

For professional and industrial use only.

AISE-P801 - Food process cleaner. Cleaning In place (CIP) process

Uses advised against: Uses other than those identified are not recommended

1.3 Details of the supplier of the safety data sheet

Diversey Europe Operations BV, Maarssenbroeksedijk 2, 3542DN Utrecht, The Netherlands

Contact details

Diversey Kimya Sanayi ve Ticaret A.Ş İçerenköy Mah. Bahçelerarası Sk. No: 43, 34752, Ataşehir, İstanbul, Türkiye Tel: 0216 578 64 00, Faks: 0216 578 64 01

1.4 Emergency telephone number

Tel: 0216 578 64 00

Ulusal Zehir Danışma Merkezi (UZEM): 114

Acil Sağlık Hizmetleri: 112

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Skin Corr. 1A (H314) Met. Corr. 1 (H290)

2.2 Label elements



Signal word: Danger.

Contains sodium hydroxide (Sodium Hydroxide).

Hazard statements:

H314 - Causes severe skin burns and eye damage.

H290 - May be corrosive to metals.

Precautionary statements:

P260 - Do not breathe spray.

P280 - Wear protective gloves, protective clothing and eye or face protection.

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call a POISON CENTRE, doctor or physician.

2.3 Other hazards

No other hazards known

The product does not meet the criteria for PBT or vPvB in accordance with Regulation (EC) No 1907/2006, Annex XIII

SDS code: MSDS2249 Page 1/10

First release: 2015-12-08 Diverspray VC13 Version: 06.1

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Ingredient(s)	EC number	CAS number	Classification	Notes	Weight percent
sodium hydroxide	215-185-5	1310-73-2	Skin Corr. 1A (H314) Met. Corr. 1 (H290)		30-50

^{*} Polymer.

Workplace exposure limit(s), if available, are listed in subsection 8.1.

For the full text of the H and EUH phrases mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

Inhalation: Get medical attention or advice if you feel unwell.

Skin contact: Wash skin with plenty of lukewarm, gently flowing water for at least 30 minutes. Take off

immediately all contaminated clothing and wash it before re-use. Immediately call a POISON

CENTRE, doctor or physician.

Eye contact: Immediately rinse eyes cautiously with lukewarm water for several minutes. Remove contact lenses,

if present and easy to do. Continue rinsing. Immediately call a POISON CENTRE, doctor or

physician.

Ingestion: Rinse mouth. Immediately drink 1 glass of water. Do NOT induce vomiting. Keep at rest.

Immediately call a POISÓN CENTRE, doctor or physician.

Self-protection of first aider: Consider personal protective equipment as indicated in subsection 8.2.

4.2 Most important symptoms and effects, both acute and delayed

Inhalation: No known effects or symptoms in normal use.

Skin contact: Causes severe burns.

Eye contact: Causes severe or permanent damage.

Ingestion: Ingestion will lead to a strong caustic effect on mouth and throat and to the danger of perforation of

oesophagus and stomach.

4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

5.2 Special hazards arising from the substance or mixture

No special hazards known.

5.3 Advice for firefighters

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear suitable protective clothing, gloves and eye/face protection.

6.2 Environmental precautions

Do not allow to enter drainage system, surface or ground water. Dilute with plenty of water.

6.3 Methods and material for containment and cleaning up

Use neutralising agent. Absorb onto dry sand or similar inert material.

6.4 Reference to other sections

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Measures to prevent fire and explosions:

SDS code: MSDS2249 Page 2/10

First release: 2015-12-08 **Diverspray VC13** Version: 06.1

No special precautions required.

Measures to prevent aerosol and dust generation:

Avoid formation of aerosol.

Measures required to protect the environment:

For environmental exposure controls see subsection 8.2.

Advices on general occupational hygiene:

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not mix with other products unless adviced by Diversey. Wash hands before breaks and at the end of workday. Wash face, hands and any exposed skin thoroughly after handling. Take off immediately all contaminated clothing. Wash contaminated clothing before reuse. Use personal protective equipment as required. Avoid contact with skin and eyes. Do not breathe spray. Use only with adequate ventilation.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local and national regulations. Keep only in original container. Store in a closed container. For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

7.3 Specific end use(s)

No specific advice for end use available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters Workplace exposure limits

Air limit values, if available:

Biological limit values, if available:

8.2 Exposure controls

The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet. If available, please refer to the product information sheet for application and handling instructions. Normal use conditions are assumed for this section.

Recommended safety measures for handling the undiluted product:

Covering activities such as filling and transfer of product to application equipment, flasks or buckets

Appropriate engineering controls: If the product is diluted by using specific dosing systems with no risk of splashes or direct skin

contact, the personal protection equipment as described in this section is not required. Where possible: use in automated/closed system and cover open containers. Transport over pipes. Filling

with automatic systems. Use tools for manual handling of product. Avoid direct contact and/or splashes where possible. Train personnel. Appropriate organisational controls:

Personal protective equipment

Eye / face protection: Safety glasses or goggles (EN 166). The use of a full-face shield or other full-face protection is

strongly recommended when handling open containers or if splashes may occur.

Hand protection: Chemical-resistant protective gloves (EN 374). Verify instructions regarding permeability and

breakthrough time, as provided by the gloves supplier. Consider specific local use conditions, such

as risk of splashes, cuts, contact time and temperature.

Suggested gloves for prolonged contact: Material: butyl rubber Penetration time: >= 480 min Material thickness: >= 0.7 mm

Suggested gloves for protection against splashes: Material: nitrile rubber Penetration time: >= 30 min Material thickness: >= 0.4 mm

In consultation with the supplier of protective gloves a different type providing similar protection may

Wear chemical-resistant clothing and boots in case direct dermal exposure and/or splashes may

Body protection: occur (EN 14605).

Respiratory protection: If exposure to liquid particles or splashes cannot be avoided use: half mask (EN 140) with particle

filter P2 (EN 143) or full-face mask (EN 136) with particle filter P1 (EN 143) Consider specific local use conditions. In consultation with the supplier of respiratory protection equipment a different type providing similar protection may be chosen. Specific applications tools may be available to limit

exposure. Please refer to the product information sheet for the possibilities.

Environmental exposure controls: Should not reach sewage water or drainage ditch undiluted or unneutralised.

Recommended safety measures for handling the diluted product:

Recommended maximum concentration (%): 5

SDS code: MSDS2249 Page 3/10

First release: 2015-12-08 Diverspray VC13 Version: 06.1

Appropriate engineering controls: Provide a good standard of general ventilation. Where possible: use in automated/closed system

and cover open containers. Transport over pipes. Filling with automatic systems. Use tools for

manual handling of product.

Appropriate organisational controls: Avoid direct contact and/or splashes where possible. Train personnel.

Personal protective equipment

Eye / face protection: Goggles (EN 166). The use of a full-face shield or other full-face protection is strongly

recommended when handling open containers or if splashes may occur.

Hand protection: Chemical-resistant protective gloves (EN 374). Verify instructions regarding permeability and

breakthrough time, as provided by the gloves supplier. Consider specific local use conditions, such

as risk of splashes, cuts, contact time and temperature.

Suggested gloves for prolonged contact: Material: butyl rubber Penetration time: >= 480 min

Material thickness: >= 0.7 mm

Suggested gloves for protection against splashes: Material: nitrile rubber Penetration time: >= 30

min Material thickness: >= 0.4 mm

In consultation with the supplier of protective gloves a different type providing similar protection may

be chosen.

Body protection: Wear chemical-resistant clothing and boots in case direct dermal exposure and/or splashes may

occur (EN 14605).

Respiratory protection: If exposure to liquid particles or splashes cannot be avoided use: half mask (EN 140) with particle

filter P2 (EN 143) or full-face mask (EN 136) with particle filter P1 (EN 143) Consider specific local use conditions. In consultation with the supplier of respiratory protection equipment a different type providing similar protection may be chosen. Specific applications tools may be available to limit

exposure. Please refer to the product information sheet for the possibilities.

Environmental exposure controls: No special requirements under normal use conditions.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Information in this section refers to the product, unless it is specifically stated that substance data is listed

Method / remark

Physical State: Liquid
Colour: Clear, Colourless
Odour: Product specific
Odour threshold: Not applicable

pH: > 12 (neat)

Melting point/freezing point (°C): Not determined

Initial boiling point and boiling range (°C): Not determined

Not relevant to classification of this product

Substance data, boiling point

Ingredient(s)	Value (°C)	Method	Atmospheric pressure (hPa)
sodium hydroxide	> 990	Method not given	

Method / remark

Flash point (°C): Not applicable.

Sustained combustion: Not applicable.

(UN Manual of Tests and Criteria, section 32, L.2)

Evaporation rate: Not determined **Flammability (solid, gas):** Not determined

Upper/lower flammability limit (%): Not determined

opper/lower frammability limit (%). Not determined

Substance data, flammability or explosive limits, if available:

Method / remark

Vapour pressure: Not determined

Substance data, vapour pressure

Ingredient(s)	Value (Pa)	Method	Temperature (°C)
sodium hydroxide	< 1330	Method not given	20

Method / remark

Vapour density: Not determined Relative density: ≈ 1.48 (20 °C)

Solubility in / Miscibility with Water: Fully miscible

SDS code: MSDS2249 Page 4/10

Version: 06.1

Revision: 2018-01-25 **First release:** 2015-12-08

Diverspray VC13

Substance data, solubility in water

Ingredient(s)	Value (g/l)	Method	Temperature (°C)
sodium hydroxide	1000	Method not given	20

Substance data, partition coefficient n-octanol/water (log Kow): see subsection 12.3

Method / remark

Autoignition temperature: Not determined Decomposition temperature: Not applicable.

Viscosity: Not determined

Explosive properties: Not explosive. **Oxidising properties:** Not oxidising.

9.2 Other information

Surface tension (N/m): Not determined Not relevant to classification of this product

Corrosion to metals: Corrosive Weight of evidence

Substance data, dissociation constant, if available:

SECTION 10: Stability and reactivity

10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

10.2 Chemical stability

Stable under normal storage and use conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known under normal storage and use conditions.

10.4 Conditions to avoid

None known under normal storage and use conditions.

10.5 Incompatible materials

Reacts with acids.

10.6 Hazardous decomposition products

None known under normal storage and use conditions.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Mixture data:.

Relevant calculated ATE(s):

Substance data, where relevant and available, are listed below:.

Acute toxicity Acute oral toxicity

Ingredient(s)

Endpoint Value (mg/kg)

Species Method Exposure time (h)

No data available

Acute dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)
		(ilig/kg)			time (n)
sodium hydroxide		No data			
		available			

Acute inhalative toxicity

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sodium hydroxide		No data			
		available			

SDS code: MSDS2249 Page 5/10

Method not given

Version: 06.1

Revision: 2018-01-25 First release: 2015-12-08

Diverspray VC13

Irritation and corrosivity Skin irritation and corrosivity				
Ingredient(s)	Result	Species	Method	Exposure time

Corrosive

Rabbit

Eye irritation and corrosivity				
Ingredient(s)	Result	Species	Method	Exposure time
sodium hydroxide	Corrosive	Rabbit	Method not given	

•		•	i .
Despiratory treat instation and correspicts			
Respiratory tract irritation and corrosivity			

Respiratory tract imitation and corrosivity				
Ingredient(s)	Result	Species	Method	Exposure time
sodium hydroxide	No data available			

Sensitisation

Sensitisation by skin contact

Ingredient(s)	Result	Species	Method	Exposure time (h)
sodium hydroxide	Not sensitising		Human repeated patch	
			test	

Sensitisation by inhalation Ingredient(s) Result **Species** Method Exposure time sodium hydroxide

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

sodium hydroxide

Mutagenicity		•	1	
Ingredient(s)	Result (in-vitro)	Method	Result (in-vivo)	Method
		(in-vitro)		(in-vivo)
sodium hydroxide	No evidence for mutagenicity, negative	DNA repair test	No evidence for mutagenicity, negative	OECD 474 (EU
	test results	on rat	test results	B.12) OECD
		hepatocytes		475 (EU B.11)
		OECD 473		

Carcinogenicity

Ingredi	ient(s)	Effect
sodium h	ydroxide	No evidence for carcinogenicity, weight-of-evidence

Toxicity for reproduction Endpoint Specific effect Value **Species** Method Exposure Remarks and other effects Ingredient(s) (mg/kg bw/d) time reported sodium hydroxide No evidence for developmental toxicity No evidence for No data available reproductive toxicity

Repeated dose toxicity
Sub-acute or sub-chronic oral toxicity

Sub-acute of sub-critoriic oral toxicity						
Ingredient(s)	Endpoint	Value	Species	Method	Exposure	Specific effects and organs
		(mg/kg bw/d)			time (days)	affected
sodium hydroxide		No data				
		available				

Sub-chronic dermal toxicity Ingredient(s) Value Specific effects and organs Endpoint Species Method Exposure time (days) (mg/kg bw/d) affected sodium hydroxide No data available

Sub-chronic inhalation toxicity						
Ingredient(s)	Endpoint	Value	Species	Method	Exposure	Specific effects and organs
		(mg/kg bw/d)			time (days)	affected
sodium hydroxide		No data				
· · · · · · · · · · · · · · · · · · ·		available				'

Ingredient(s)	Exposure	Endpoint	Value	Species	Method	Exposure	Specific e		Remark
Chronic toxicity									
				avai	lable			l l	

Ingredient(s)	Exposure route	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time	Specific effects and organs affected	Remark
sodium hydroxide			No data available					

STOT-single exposure	
Ingredient(s)	Affected organ(s)
sodium hydroxide	No data available

S101-repeated exposure	9	
	Ingredient(s)	Affected organ(s)

Page 6/10 SDS code: MSDS2249

Revision: 2018-01-25 **First release:** 2015-12-08

sodium hydroxide No data available

Aspiration hazard

Substances with an aspiration hazard (H304), if any, are listed in section 3. If relevant, see section 9 for dynamic viscosity and relative density of the product.

Potential adverse health effects and symptoms

Effects and symptoms related to the product, if any, are listed in subsection 4.2.

SECTION 12: Ecological information

12.1 Toxicity

No data is available on the mixture.

Substance data, where relevant and available, are listed below:

Aquatic short-term toxicity

Aquatic short-term toxicity - fish	
	Ingradiant/a)

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sodium hydroxide	LC 50	35	Various species	Method not given	96

Aquatic short-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sodium hydroxide	EC 50	40.4	Ceriodaphnia	Method not given	48
			sp.		

Aquatic short-term toxicity - algae

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sodium hydroxide	EC 50	22	Photobacteriu	Method not given	0.25
			m		
			phosphoreum		

Aquatic short-term toxicity - marine species

requality marine operate					
Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (days)
sodium hydroxide		No data available			-

Impact on sewage plants - toxicity to bacteria

Ingredient(s)	Endpoint	Value (mg/l)	Inoculum	Method	Exposure time
sodium hydroxide		No data available			

Aquatic long-term toxicity

equatic long-term toxicity - fish									
Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed			
sodium hydroxide		No data							

Aquatic long-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
sodium hydroxide		No data				
		available				

Aquatic toxicity to other aquatic benthic organisms, including sediment-dwelling organisms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw sediment)	Species	Method	Exposure time (days)	Effects observed
sodium hydroxide		No data			-	
		available				

Terrestrial toxicity

Terrestrial toxicity - soil invertebrates, including earthworms, if available:

refrestrial toxicity - soil invertebrates, including earthworms, in available.									
Ingredient(s)	Endpoint	Value	Species	Method	Exposure	Effects observed			
		(mg/kg dw			time (days)				
		soil)							

SDS code: MSDS2249 Page 7/10

First release: 2015-12-08 Diverspray VC13 Version: 06.1

sodium hydroxide	No data		-	
	available			

Terrestrial toxicity - plants, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
sodium hydroxide		No data available			-	

Terrestrial toxicity - birds, if available:

Ingredient(s)	Endpoint	Value	Species	Method	Exposure time (days)	Effects observed
sodium hydroxide		No data available			-	

Terrestrial toxicity - beneficial insects, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
sodium hydroxide		No data available			-	

Terrestrial toxicity - soil bacteria, if available:

TOTTOOTHAI TOXIO	ity con bacteria, ii available.						
	Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
	sodium hydroxide		No data available			-	

12.2 Persistence and degradability

Abiotic degradation

Abiotic degradation - photodegradation in air, if available:

Ingredient(s)	Half-life time Method		Evaluation	Remark
sodium hydroxide	13 second(s)	Method not given	Rapidly photodegradable	

Abiotic degradation - hydrolysis, if available:

Abiotic degradation - other processes, if available:

Biodegradation

Ready biodegradability - aerobic conditions

Ingredient(s)	Inoculum	Analytical method	DT 50	Method	Evaluation
sodium hydroxide					Not applicable (inorganic substance)

Ready biodegradability - anaerobic and marine conditions, if available:

Degradation in relevant environmental compartments, if available:

12.3 Bioaccumulative potential

Partition coefficient n-octanol/water (log Kow)

Ingredient(s)	Value	Method	Evaluation	Remark
sodium hydroxide	No data available		Not relevant, does not	
			bioaccumulate	

Bioconcentration factor (BCF)

Ingredient(s)	Value	Species	Method	Evaluation	Remark
sodium hydroxide	No data available				

12.4 Mobility in soil

Adsorption/Desorption to soil or sediment

Ingredient(s)	Adsorption coefficient Log Koc	Desorption coefficient Log Koc(des)	Method	Soil/sediment type	Evaluation
sodium hydroxide	No data available				Mobile in soil

12.5 Results of PBT and vPvB assessment

Substances that fulfill the criteria for PBT/vPvB, if any, are listed in section 3.

12.6 Other adverse effects

No other adverse effects known.

SDS code: MSDS2249 Page 8/10

First release: 2015-12-08 **Diverspray VC13** Version: 06.1

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste from residues / unused The concentrated contents or contaminated packaging should be disposed of by a certified handler products:

or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging

material is suitable for energy recovery or recycling in line with local legislation. **European Waste Catalogue:**

20 01 15* - alkalines.

Empty packaging

Recommendation: Dispose of observing national or local regulations.

Suitable cleaning agents: Water, if necessary with cleaning agent.

SECTION 14: Transport information



Land transport (ADR/RID), Sea transport (IMDG), Air transport (ICAO-TI / IATA-DGR)

14.1 UN number: 1824

14.2 UN proper shipping name:

Sodium hydroxide solution

14.3 Transport hazard class(es):

Class: 8 Label(s): 8 14.4 Packing group: II

14.5 Environmental hazards:

Environmentally hazardous: No

Marine pollutant: No

14.6 Special precautions for user: None known.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code: The product is not transported in bulk tankers.

Other relevant information:

ADR

Classification code: C5 Tunnel restriction code: E Hazard identification number: 80

IMO/IMDG

EmS: F-A, S-B

The product has been classified, labelled and packaged in accordance with the requirements of ADR and the provisions of the IMDG Code Transport regulations include special provisions for certain classes of dangerous goods packed in limited quantities.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

11 Aralık 2013 tarihli, 28848 Sayılı, Maddelerin Ve Karışımların Sınıflandırılması, Etiketlenmesi Ve Ambalajlanması Hakkında Yönetmelik.

Ingredients according to EC Detergents Regulation 648/2004

phosphonates < 5 %

SECTION 16: Other information

The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract

SDS code: MSDS2249 Version: 06.1 Revision: 2018-01-25

Reason for revision:

This data sheet contains changes from the previous version in section(s):, 2, 3, 16

Güvenlik Bilgi Formu Zararlı Maddeler ve Karısımlara İliskin Güvenlik Bilgi Formları Hakkında Yönetmelik (R.G. 13.12.2014-29204)'e Göre düzenlenmiştir.

Edited by:

Kader Merve Yaman / Sertifikalı GBF Hazırlayıcısı

SDS code: MSDS2249 Page 9/10

Safety Data Sheet Zararlı Maddeler ve Karışımlara İlişkin Güvenlik Bilgi Formları Hakkında Yönetmelik (R.G. 13.12.2014-29204)'e Göre

Revision: 2018-01-25 **Diverspray VC13** Version: 06.1 First release: 2015-12-08

Sertifika No ve tarihi: GBF01.12.03/20.01.2018 Diversey Kimya Sanayi ve Ticaret A.Ş İçerenköy Mah. Bahçelerarası Sk. No: 43, 34752, Ataşehir, İstanbul, Türkiye Tel: 0216 578 64 00, Faks: 0216 578 64 01

Full text of the H and EUH phrases mentioned in section 3: • H290 - May be corrosive to metals. • H314 - Causes severe skin burns and eye damage.

Abbreviations and acronyms:

- AISE The international Association for Soaps, Detergents and Maintenance Products
 DNEL Derived No Effect Limit

- EUH CLP Specific hazard statement
 PBT Persistent, Bioaccumulative and Toxic
 PNEC Predicted No Effect Concentration
 REACH number REACH registration number, without supplier specific part
 vPvB very Persistent and very Bioaccumulative
- ATE Acute Toxicity Estimate

End of Safety Data Sheet

SDS code: MSDS2249 Page 10 / 10